ROYAL OCEAN RACING CLUB WORLD SAILING OFFSHORE SPECIAL REGULATIONS CHECKLIST 2016 (v2)

CATEGORIES 1, 2 & CATEGORY 3 including Cat 2 Liferaft and AIS Transponder

Except where otherwise stated **ALL** RORC races require compliance with World Sailing Offshore Special Regulations **AND** RORC Prescriptions as printed in the RORC 2016 Notice of Race and at www.rorc.org

PLEASE COMPLETE IN CLEAR PRINT

Name of Yacht:	Sail No:
Design or type:	LH (LOA) in metres:
Call Sign:	MMSI Number:
Home Port / Event Port:	
Mobile Phone No. (to be carried while racing):	
Satellite Phone Number (if carried):	
Name of person completing this form (please print):	
Signed:	
Contact details for queries:	
Phone Number:	Email:

Under RORC Notice of Race 1.5.6.1 this Checklist shall be completed and returned to the RORC before a yacht may start in her first offshore RORC race of the season. This form should be completed on board your yacht. Please keep a copy of the completed form on board to help you check your yacht during the season.

This list is to assist the owner to check the yacht and her equipment for compliance with the Offshore Special Regulations. It is not exhaustive and reference should be made to the complete Offshore Special Regulations; see Notice of Race Appendix 1 and the website at www.rorc.org when completing this form. There are mandatory RORC Prescriptions in addition to the Offshore Special Regulations.

Items have been arranged in four parts:

A General, B Above Deck, C Below Deck, D Heavy Weather Sails

The numbers in the left column refer to Offshore Special Regulations. Items applicable for Categories 1 and 2 only are marked.

If you require help with completing this form please contact the RORC:

Telephone: +44 (0) 1983 295144 Email: racing @rorc.org

PART A: GENERAL

The following extracts from the Offshore Special Regulations are particularly important

1.02	The safety of the yacht and her crew is the sole and inescapable responsibility of the Person in Charge who must do his best to ensure that the yacht is fully found, thoroughly seaworthy and manned by an experienced crew who have undergone appropriate training (Special Regs Section 6), and are physically fit to face bad weather. He must be satisfied as to the soundness of the hull, spars, rigging, sails and all gear. He must ensure that all safety equipment is properly maintained (OSR 2.03.1) and stored and that the crew know where it is kept and how it is to be used. He shall also nominate a person to take over the responsibilities of the Person in Charge in the event of his incapacitation.
1.02.1	The responsibility for a yacht's decision to participate in a race or to continue racing is hers alone. (RRS Fundamental Rule 4).
2.02	A yacht may be inspected at any time. If she does not comply with these Special Regulations her entry may be rejected, or she may be liable to disqualification or penalty.
2.03.1	All required equipment shall: function properly. Be regularly checked, cleaned and serviced. When not in use be stowed in conditions in which deterioration is minimised. Be readily accessible. Be of a type, size and capacity suitable and adequate for the intended use and size of the yacht.

Do you ask each crewmember if he/she is fully fit?	YES/NO
Do you have any crew with special medical problems? Please detail below:	YES/NO
Do you know how to deal with any special medical problems (e.g. heart disease, asthma) that your crew has?	YES/NO

	PART B: ABOVE DECK							
3.08.4	Hatches:							
	Does the companionway hatch have a catch that can be locked and unlocked from both above and below deck?	YES/NO						
	Are the hatch boards tied to the boat whilst at sea to prevent their loss overboard?							
	Cockpits:							
	Can all openings into the hull (e.g. locker lids) be strongly and rigidly secured?	YES/NO						
3.14	Pulpits, Stanchions, Lifelines: Note: HMPE (Dyneema/Spectra) is prohibited by World Sailing OSR for Monohulls Cat 1, 2							
	Are all of your lifelines made of wire? Tensioning lashings shorter than 100mm are permitted.							
	Is the pulpit continuous without a gap or dip at the bow? If not does it comply with SR 3.14.1?							
	Are your lifelines, pulpit, etc, continuous around the yacht at both levels?	YES/NO						
	Are the supports for the lifelines a maximum of 2.20m (86.6"), apart including across the transom?	YES/NO						
	Is every lifeline taut?							
4.04	Jackstays (Categories 0, 1, 2 & 3): (recommended ALL categories). Owners should consider members must unclip and how this can be kept to a minimum.	where crew						
	Do you have jackstays?	YES/NO						
	When were they last checked/replaced?							
	Can a crewmember clip on to a pad-eye or jackstay before coming on deck?	YES/NO						
3.27	Navigation lights:							
	What is your main set (masthead tricolour or bow and stern)?							
	What wattage (or equivalent) are the bulbs?	Watts						
	What is your reserve set?							
	What wattage are the bulbs? (these should have the same minimum specification as the main set)							
	What is their alternative power source? Battery capacity							
4.15	Emergency Steering:							
	Do you carry a spare tiller?	YES/NO						
	When (approx) did you last try the spare/emergency tiller?							
	What method would you use to steer in the event of rudder loss?							
	When did you last try this?							
4.16	Standing rigging:							
	What tools do you carry to sever the standing rigging in an emergency?							
	Has this device been tested by you? (e.g. on sample pieces of equal strength)	YES/NO						
4.25	Cockpit Knife:							
	Do you carry a strong, sharp knife, sheathed and securely restrained?	YES/NO						
4.22	Lifebuoys:							
4.22.1	Do you have a lifebuoy with a self-igniting light and drogue?	YES/NO						
4.22.6	Do you have recovery sling? (both a lifebuoy and a recovery sling are required for Categories 2 & 3)	1, YES/NO						
	Are the lifebuoy(s) marked with the yacht's name and retro-reflective material?	YES/NO						
Cat 1, 2 4.22.2	Do you have an additional lifebuoy within reach of the helmsman, ready for use and equipped with a whistle, drogue, light and danbuoy? (two lifebuoys are required for Categories 1 & 2)	YES/NO						
Cat 1, 2 4.22.3	Does at least one lifebuoy contain permanent (e.g. foam) buoyancy? YES/NO							

DADT C. BELOW DECK

			P	ART (C: BEI	_OW	DEC	K				
4.12	Safety Equipment Location Chart:											
	Where do	you display	the Safety E	Equipme	nt Locati	on Ch	art?					
2.03.2	Heavy Eq	uipment:										
	Are you satisfied that all heavy items are securely stowed to resist a 180° capsize?							YES/NO				
	Equipmer	nt: Do you d	carry the fo	llowing:								
3.29.13			ransponder RORC NoR		of trans	mitting	g and re	ceiving	for the d	uration o	f the	YES/NO
3.29.01		ency VHF a										YES/NO
3.29.05	A waterpro	oof hand-he	ld VHF trans	ceiver?								YES/NO
4.07			ained, high i		searchli	ght su	itable fo	r man	overboard	l searchi	ng?	YES/NO
4.07 f)	A separate	e floating wa	aterproof tord	ch?								YES/NO
3.12	-		tepped mas									YES/NO
	If so, how secured?	is the heel r	estrained or									
3.21	Drinking \	Water Tank	s & Drinkin	g Water	•							
3.21.1 Cat 1	Is the drini	king water s	upply divide	d into tw	o compa	artmer	its?					YES/NO
3.21.3	How much	and how d	o you carry	emerger	ncy drink	ing wa	iter?					YES/NO
3.23	Bilge pun	nps and bu	ckets:									
3.23.5	Are bilge p	oump handle	es secured a	igainst lo	oss overl	ooard	?					YES/NO
3.23.2	Can at lea	st one pum	o be operate	d with c	ockpit lo	ckers,	hatches	s and c	ompanior	ways sh	ut?	YES/NO
3.23.1b) Cat 1, 2	Does the y	acht have a	at least two r	nanual b	oilge pun	nps? (Cat 1, 2	monol	nulls only)			YES/NO
4.03	Plugs:											
	Do you ca	rry a softwo	od plug sec	ured at	or near	every	through	-hull op	ening?			YES/NO
4.05	Fire Fight	ing Equipm	nent:									
	How many	2kg dry po	wder fire ext	inguishe	ers do yo	u carr	y?					
	Do you ha	ve a fire bla	nket adjacei	nt to eve	ry cookii	ng dev	rice with	an op	en flame?		YES/NO	
4.08	Do vou ca	Do you carry a First Aid Manual that covers marine medical emergencies?							YES/NO			
	What is the title?											
6.05.3		one membe	er of your creems?	w famili	ar with F	irst Ai	d proced	dures, l	nypothern	nia and r	elevant	YES/NO
	Man Over	board										
3.29.08 Cat 1, 2	What is yo	our means o	f recording a	and mon	itoring a	Man (Overboa	ard incid	dent within	n 10 sec	onds?	
6.04	When did	you last pra	ctise a Man	Overboa	ard Drill?							
	How would	d you retriev	e a Man Ov	erboard	from the	wate	?					
4.19	406 MHz I	EPIRB:										
4.19 Cat 1, 2		rry a 406 M	Hz EPIRB?									YES/NO
4.19.3	Is it registe	ered in the y	acht's name	with the	e approp	riate a	uthority	?				YES/NO
	What is the											
4.20	Liferaft(s): Note: SOLAS, ISAF, ORC and hired valise packed liferafts require annual servici							ing.				
	Liferaft Se		, ,				Capacity				d / Own	
	Canister	YES/NO	Valise	YES/N	10		Date of I		-			
	Make / Model: Date of next Service:											
4.20.1a)	Specification: SOLAS / ISO9650 Pack 1 (>24h) / ISO9650 Pack 2 (<24h) / ISAF (pre 2016) / ORC (pre 2003)											

l	Liferaft Serial No:				Capacity (No. Persons)	Hired / Owne	٠d		
	Canister	YES/NO	Valise	YES/NO	Date of last Service:	Tilled / Owne	,u		
	Make / Model:	120/110	Valloc	120/110	Date of next Service:				
	Specification:				Date of flext oct vice.				
		Pack 1 (>24	h) / ISO96	650 Pack 2 (<	24h) / ISAF (pre 2016) / C	ORC (pre 2003)			
	Liferaft Serial No:				Capacity (No. Persons)	Hired / Owne	ed		
	Canister	YES/NO	Valise	YES/NO	Date of last Service:				
	Make / Model:				Date of next Service:				
	Specification:	Da ala 4 / 04	L) / 10000	NEO De els O /	045) / 1045 / 0046) / 6	NDO (0000)			
	SOLAS / 1509650 F	Pack 1 (>24	n) / 15096	550 Pack 2 (<	24h) / ISAF (pre 2016) / C	DRC (pre 2003)			
4.21	Do you carry a Grat	Bag on bo	ard?				YES/NO		
4.23	Flares:								
4.20	Number of SOLAS	flares in d	ate for th	e whole seas	son		Number		
	Red Hand		Itamboi						
	Orange Smoke								
5.01.1	Lifejackets and Ha Number of combine		and hara	00000					
					s inflation system, crotch/	thigh straps			
	light, spray hood?	mung loop,	TOTICOLIVO	material, gat	s illiation system, croton	ungn suaps,	YES/NO		
5.01.1c)	Is each lifejacket cle	early marke	d with the	boat or wear	ers name?		YES/NO		
5.01.2	Is there at least one type of lifejacket onl		ole lifejack	et spare cylir	nder and a spare activatio	n head for each	YES/NO		
5.01.3 Cat 1, 2	Is there at least one	spare lifeja	cket onbo	ard?			YES/NO		
5.07.1c) Cat 1	Is there a personal	AIS beacon	for each i	member of th	e crew?		YES/NO		
5.02.2a)	How many tethers of	do you have	?						
5.02.2b)	How many tethers h	nave a midp	oint snaph	nook or tethe	of 1m or less?				
5.06	Flashlights:								
5.06 b)	Does each crew me	ember carry	a waterpr	oof torch/ligh	t at night?		YES/NO		
		DADI	. D. UE		ATHED CAIL C				
4.26	Are storm sails of a				ATHER SAILS ve highly visible coloured p	natches?			
7.20							VES/NO		
					re riigiliy visible colouled p	outorico:	YES/NO		
4.26.2b)	How can the storm attached to a foresta	and heavy v	veather jik	os be	re riigiriiy visible coloulea p	Jatorios:	YES/NO		
4.26.2b)	How can the storm	and heavy vay (other the	veather jik an by luff (os be	re mignily visible coloured p	Satorico.	YES/NO		
4.26.2b)	How can the storm attached to a forestand Do you carry a heaven Do you carry a storm	and heavy vay (other the yy weather j	veather jik an by luff (ib?	os be groove)?			YES/NO YES/NO		
4.26.2b)	How can the storm attached to a foresta Do you carry a heaven Do you carry a storm Note: Both a storm	and heavy vay (other thank) weather jub? and a heavy	veather jik an by luff g ib? / weather	os be groove)? jib are requir	ed for Categories 1 and 2		YES/NO YES/NO		
,	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satis	and heavy vay (other the yy weather jib? and a heavy of the requirement)	veather jik an by luff g ib? / weather rements f	os be groove)? jib are requir	ed for Categories 1 and 2		YES/NO YES/NO		
4.26.4	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satis	and heavy vay (other that y weather jim jib? and a heavy sail Reefin	veather jik an by luff g ib? weather rements f	os be groove)? jib are requir	ed for Categories 1 and 2		YES/NO YES/NO or a heavy		
4.26.4 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotat	and heavy vay (other that y weather jim jib? and a heavy the requirements of the requ	veather jik an by luff g ib? / weather rements fo g: ast?	ps be groove)? jib are requir or Category 3	ed for Categories 1 and 2 3).	(either a storm jib	YES/NO YES/NO or a heavy YES/NO		
4.26.4 4.26.2c) 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotat Do you have a trysail	and heavy vay (other that y weather jim jib? and a heavy say the requirements and Reefinding wing materials.)	veather jik an by luff g ib? v weather rements f g: ast? uired for 0	ps be groove)? jib are require or Category 3	ed for Categories 1 and 2 3). the mainsail can be reefec	(either a storm jib	YES/NO YES/NO or a heavy YES/NO YES/NO		
4.26.4 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a trysail Does your mainsail	and heavy vay (other that y weather jim jib? and a heavy sail Reefining wing mail? (Not requally have reefin	veather jik an by luff g ib? / weather rements for g: ust? uired for O	ps be groove)? jib are required for Category 3 Category 3 if the the luff by a	ed for Categories 1 and 2 3). the mainsail can be reefec	(either a storm jib	YES/NO YES/NO YES/NO YES/NO YES/NO		
4.26.4 4.26.2c) 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotat Do you have a trysail	and heavy vay (other that y weather jim jib? and a heavy sail Reefining wing mail? (Not requally have reefin	veather jik an by luff g ib? / weather rements for g: ust? uired for O	ps be groove)? jib are required for Category 3 Category 3 if the the luff by a	ed for Categories 1 and 2 3). the mainsail can be reefec	(either a storm jib	YES/NO YES/NO or a heavy YES/NO YES/NO		
4.26.4 4.26.2c) 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotate Do you have a trysa Does your mainsail Does it have the contract of the property of the storm of the property of the property of the property of the storm of the property of the pr	and heavy vay (other that y weather just and a heavy sail Reefining wing mail? (Not requally have reefinated and let	veather jik an by luff gib? / weather rements for g: uired for (gib) g to reducters/numb	ps be groove)? jib are required for Category 3 Category 3 if the the luff by a ters?	ed for Categories 1 and 2 3). the mainsail can be reefec	(either a storm jib	YES/NO YES/NO or a heavy YES/NO YES/NO YES/NO		
4.26.4 4.26.2c) 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotate Do you have a trysa Does your mainsail Does it have the contract of the property of the storm of the property of the property of the property of the storm of the property of the pr	and heavy vay (other that y weather just and a heavy sail Reefining wing mail? (Not requally have reefinated and let	veather jik an by luff gib? / weather rements for g: uired for (gib) g to reducters/numb	ps be groove)? jib are required for Category 3 Category 3 if the the luff by a ters?	ed for Categories 1 and 2 3). the mainsail can be reefed at least 40%?	(either a storm jib	YES/NO YES/NO or a heavy YES/NO YES/NO YES/NO		
4.26.4 4.26.2c) 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotate Do you have a trysa Does your mainsail Does it have the contract of the property of the storm of the property of the property of the property of the storm of the property of the pr	and heavy vay (other that y weather just and a heavy sail Reefining wing mail? (Not requally have reefinated and let	veather jik an by luff gib? / weather rements for g: uired for (gib) g to reducters/numb	ps be groove)? jib are required for Category 3 Category 3 if the the luff by a ters?	ed for Categories 1 and 2 3). the mainsail can be reefed at least 40%?	(either a storm jib	YES/NO YES/NO or a heavy YES/NO YES/NO YES/NO		
4.26.4 4.26.2c) 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotate Do you have a trysa Does your mainsail Does it have the contract of the property of the storm of the property of the property of the property of the storm of the property of the pr	and heavy vay (other that y weather just and a heavy sail Reefining wing mail? (Not requally have reefinated and let	veather jik an by luff gib? / weather rements for g: uired for (gib) g to reducters/numb	ps be groove)? jib are required for Category 3 Category 3 if the the luff by a ters?	ed for Categories 1 and 2 3). the mainsail can be reefed at least 40%?	(either a storm jib	YES/NO YES/NO or a heavy YES/NO YES/NO YES/NO		
4.26.4 4.26.2c) 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotate Do you have a trysa Does your mainsail Does it have the contract of the property of the storm of the property of the property of the property of the storm of the property of the pr	and heavy vay (other that y weather just and a heavy sail Reefining wing mail? (Not requally have reefinated and let	veather jik an by luff gib? / weather rements for g: uired for (gib) g to reducters/numb	ps be groove)? jib are required for Category 3 Category 3 if the the luff by a ters?	ed for Categories 1 and 2 3). the mainsail can be reefed at least 40%?	(either a storm jib	YES/NO YES/NO YES/NO YES/NO YES/NO		
4.26.4 4.26.2c) 4.26.2c)	How can the storm attached to a foresta Do you carry a heave Do you carry a storm Note: Both a storm weather jib will satist Trysail gear / Main Do you have a rotate Do you have a trysa Does your mainsail Does it have the contract of the property of the storm of the property of the property of the property of the storm of the property of the pr	and heavy vay (other that y weather just and a heavy sail Reefining wing mail? (Not requally have reefinated and let	veather jik an by luff gib? / weather rements for g: uired for (gib) g to reducters/numb	ps be groove)? jib are required for Category 3 Category 3 if the the luff by a ters?	ed for Categories 1 and 2 3). the mainsail can be reefed at least 40%?	(either a storm jib	YES/NO YES/NO YES/NO YES/NO YES/NO		